
Lucrări științifice

1. Becker, A.K., **Babes, A.**, Düll, M.M., Khalil, M., Kender, Z., Gröner, J., Namer, B., Reeh, P.W., Sauer, S.K. (2023), “Spontaneous activity of specific C-nociceptor subtypes from diabetic patients and mice: Involvement of reactive dicarbonyl compounds and (sensitized) transient receptor potential channel A1”, *Journal of the Peripheral Nervous System*, **28(2)**:202-225. **IF** = 5.18
2. Huțanu, D.E., Oprita, G., Domocos, D., Selescu, T., Manolache, A., Stratulat, T., Sauer, S.K., Tunaru, S., **Babes, A.***, Babes, R.M. (2023), “The antimalarial artemisinin is a non-electrophilic agonist of the transient receptor potential ankyrin type 1 receptor-channel”, *European Journal of Pharmacology*, **939**: 175467. **IF** = 5.12.
3. Hoffmann, T., Klemm, F., I Kichko, T., Sauer, S.K., Kistner, K., Riedl, B., Raboisson, P., Luo, L., **Babes, A.**, Kocher, L., Carli, G., Fischer, M.J.M., Reeh, P.W. (2022), “The formalin test does not probe inflammatory pain but excitotoxicity in rodent skin”, *Physiological Reports*, **10(6)**: e15194. **IF** = 2.26
4. Manolache, A., **Babes, A.***, Babes R.M. (2021), “Mini-review: The nociceptive sensory functions of the polymodal receptor Transient Receptor Potential Ankyrin Type 1 (TRPA1)”, *Neuroscience Letters*, 764:136286. **IF** = 3.05 (*corresponding author)
5. Cojocaru, F., Șelescu, T., Domocoș, D., Măruțescu, L., Chiritoiu, G., Chelaru, N-R., Dima, S., Mihăilescu, D., **Babes, A.***, Cucu, D.* (2021), “Functional expression of the transient receptor potential ankyrin type 1 channel in pancreatic adenocarcinoma cells”, *Scientific Reports*, 11(1):2018. **IF** = 3.99 (* corresponding authors)
6. **Babes, A.**, Kichko, T.I., Selescu, T., Manolache, A., Neacsu, C., Gebhardt, L., Reeh, P.W. (2021), “Psoralens activate and photosensitize Transient Receptor Potential channels Ankyrin type 1 (TRPA1) and Vanilloid type 1 (TRPV1)”, *European Journal of Pain*, **25(1)**:122-135. **IF** = 3.19
7. Domocos, D., Selescu, T., Ceafalan, L.C., Iodi Carstens, M., Carstens, E., **Babes, A.** (2020), “Role of 5-HT1A and 5-HT3 receptors in serotonergic activation of sensory neurons in relation to itch and pain behavior in the rat” *Journal of Neuroscience Research*, **98(10)**:1999-2017. **IF** = 4.70
8. Paschou, M., Maier, L., Papazafiri, P., Selescu, T., Dedos, S.G., **Babes, A.**, Doxakis, E. (2020), “Neuronal microRNAs modulate TREK two-pore domain K⁺ channel expression and current density”, *RNA Biology*, **17(5)**:651-662. **IF** = 5.21
9. Manolache, A., Selescu, T., Maier, G.L., Mentel, M., Ionescu, A.E., Neacsu, C., **Babes, A.***, Szedlacsek, S.E.* (2020), “Regulation of TRPM8 channel activity by Src-mediated tyrosine phosphorylation”, *Journal of Cellular Physiology*, **235(6)**:5192-5203. **IF** = 4.52 (* corresponding authors)

10. Dux, M., **Babes, A.**, Manchen, J., Sertel-Nakajima, J., Vogler, B., Schramm, J., Messlinger, K. (2020), “High-dose phenylephrine increases meningeal blood flow through TRPV1 receptor activation and release of calcitonin gene-related peptide”, *European Journal of Pain*, **24(2)**:383-397. **IF** = 3.18
11. Neacsu, C., Sauer, S.K., Reeh, P.W., **Babes, A.** (2020), “The phospholipase C inhibitor U73122 is a potent agonist of the polymodal transient receptor potential ankyrin type 1 (TRPA1) receptor channel”, *Naunyn Schmiedeberg’s Archives of Pharmacology*, **393(2)**:177-189. **IF** = 2.23
12. Babes, R.M., Selescu, T., Domocos, D., **Babes, A.** (2017), “The anthelmintic drug praziquantel is a selective agonist of the sensory transient receptor potential melastatin type 8 channel”, *Toxicology and applied pharmacology*, **336**:55-65. **IF** = 3.79
13. **Babes, A.***, Ciotu, C.I.*, Hoffmann, T., Kichko, T.I., Selescu, T., Neacsu, C., Sauer, S.K., Reeh, P.W., Fischer, M.J.M. (2017), “Photosensitization of TRPA1 and TRPV1 by 7-dehydrocholesterol: implications for the Smith-Lemli-Opitz syndrome”, *Pain*, **158(12)**:2475-86. **IF** = 5.45 (* equal contribution)
14. Kistner, K.*, Siklosi, N.*, **Babes, A.***, Khalil, M., Selescu, T., Zimmermann, K., Wirtz, S., Becker, C., Neurath, M.F., Reeh, P.W., Engel, M.A. (2016), “Systemic desensitization through TRPA1 channels by capsaizepine and mustard oil - a novel strategy against inflammation and pain”, *Scientific Reports*, **6**:28621. **IF** = 5.58 (* equal contribution)
15. **Babes, A.**, Sauer, S.K., Moparathi, L., Kichko, T.I., Neacsu, C., Namer, B., Filipovic, M., Zygmunt, P.M., Reeh, P.W., Fischer, M.J. (2016), “Photosensitization in Porphyrrias and Photodynamic Therapy Involves TRPA1 and TRPV1”, *Journal of Neuroscience*, **36(19)**:5264-78. **IF** = 6.34
16. Khalil, M., **Babes, A.**, Lakra, R., Förch, S., Reeh, P.W., Wirtz, S., Becker, C., Neurath, M.F., Engel, M.A. (2016), “Transient receptor potential melastatin 8 ion channel in macrophages modulates colitis through a balance-shift in TNF-alpha and interleukin-10 production”, *Mucosal Immunology*, **9(6)**:1500-1513. **IF** = 7.37
17. Ciobanu, A.C., Selescu, T., Gasler, I., Soltuzu, L., **Babes, A.** (2016), “Glycolytic metabolite methylglyoxal inhibits cold and menthol activation of the transient receptor potential melastatin type 8 channel”, *Journal of Neuroscience Research*, **94(3)**:282-94. **IF** = 2.59
18. Eberhardt, M., Dux, M., Namer, B., Miljkovic, J., Cordasic, N., Will, C., Kichko, T.I., de la Roche, J., Fischer, M., Suárez, S.A., Bikiel, D., Dorsch, K., Leffler, A., **Babes, A.**, Lampert, A., Lennerz, J.K., Jacobi, J., Martí, M.A., Doctorovich, F., Högestätt, E.D., Zygmunt, P.M., Ivanovic-Burmazovic, I., Messlinger, K., Reeh, P., Filipovic, M.R. (2014), “H₂S and NO cooperatively regulate vascular tone by activating a neuroendocrine HNO-TRPA1-CGRP signalling pathway”, *Nature Communications*, **5**: 4381. **IF**: 11.47

19. Cucu, D., Chiritoiu, G., Petrescu, S., **Babes, A.**, Stanica, L., Duda, D.G., Horii, A., Dima, S.O., Popescu, I. (2014), "Characterization of Functional Transient Receptor Potential Melastatin 8 Channels in Human Pancreatic Ductal Adenocarcinoma Cells", *Pancreas*, **43(5)**: 795-800. **IF**: 2.96
20. Selescu, T., Ciobanu, A.C., Dobre, C., Reid, G., **Babes, A.** (2013), "Camphor activates and sensitizes transient receptor potential melastatin 8 (TRPM8) to cooling and icilin", *Chemical Senses*, **38(7)**: 563-575. **IF**: 3.16
21. **Babes, A.**, Fischer, M.J., Filipovic, M., Engel, M.A., Flonta, M.-L., Reeh, P.W. (2013), "The anti-diabetic drug glibenclamide is an agonist of the transient receptor potential Ankyrin 1 (TRPA1) ion channel", *European Journal of Pharmacology*, **704(1-3)**: 15-22. **IF**: 2.53
22. Bierhaus, A., Fleming, T., Stoyanov, S., Leffler, A., **Babes, A.**, Neacsu, C., Sauer, S.K., Eberhardt, M., Schnölzer, M., Lasischka, F., Neuhuber, W. L., Kichko, T.I., Konrade, I., Elvert, R., Mier, W., Pirags, V., Lukic, I. K., Morcos, M., Dehmer, T., Rabbani, N., Thornalley, P.J., Edelstein, D., Nau, C., Forbes, J., Humpert, P.M., Schwaninger, M., Ziegler, D., Stern, D.M., Cooper, M.E., Haberkorn, U., Brownlee, M., Reeh, P. W., Nawroth, P.P. (2012), "Methylglyoxal modification of Na_v1.8 facilitates nociceptive neuron firing and causes hyperalgesia in diabetic neuropathy", *Nature Medicine*, **18(6)**: 926-933. **IF**: 27.36
23. Engel, M. A., Leffler, A., Niedermirtl, F., **Babes, A.**, Zimmermann, K., Filipović, M.R., Izydorzcyk, I., Eberhardt, M., Kichko, T.I., Mueller-Tribbensee, S.M., Khalil, M., Siklosi, N., Nau, C., Ivanović-Burmazović, I., Neuhuber, W.L., Becker, C., Neurath, M.F., Reeh, P.W. (2011), "TRPA1 and substance P mediate colitis in mice", *Gastroenterology*, **141(4)**: 1346-1358. **IF**: 16.71
24. **Babes, A.**, Ciobanu, A. C., Neacsu, C., Babes, R. M. (2011), "TRPM8, a Sensor for Mild Cooling in Mammalian Sensory Nerve Endings", *Current Pharmaceutical Biotechnology*, **12(1)**: 78-88. **IF**: 2.51
25. Neacsu, C., **Babes, A.** (2010), "The M-channel blocker linopirdine is an agonist of the capsaicin receptor TRPV1", *Journal of Pharmacological Sciences*, **114(3)**: 332-340. **IF**: 2.36
26. **Babes, A.**, Fischer, M.J., Reid, G., Sauer, K., Zimmermann, K., Reeh, P.W. (2010), "Electrophysiological and neurochemical techniques to investigate sensory neurons in analgesia research", *Methods in Molecular Biology*, **617**:237-259.
27. Neacsu, C., Ciobanu, C., Barbu, I., Toader, O., Szegli, G., Kerek, F., **Babes, A.** (2010), "Substance MCS-18 isolated from *Helleborus purpurascens* is a potent antagonist of the capsaicin receptor, TRPV1, in rat cultured sensory neurons", *Physiological Research*, **59**:289-298. **IF**: 1.29
28. Ciobanu, C., Reid, G., **Babes, A.** (2009), "Acute and chronic effects of neurotrophic factors BDNF and GDNF on responses mediated by thermo-sensitive TRP channels in cultured rat dorsal root ganglion neurons", *Brain Research*, **1284**:54-67. **IF**: 2.84

29. Babes, A. (2009), "Ion channels involved in cold detection in mammals: TRP and non-TRP mechanisms", *Biophysical Reviews*, **1(4)**:193-200.
30. Zimmermann, K., Leffler, A., **Babes, A.**, Cendan, C.M., Carr, R. W., Kobayashi, J., Nau, C., Wood, J. N., Reeh, P. (2007), "Sensory neuron sodium channel Nav1.8 is essential for pain at low temperatures", *Nature*, **447**:855-859. **IF**: 41.46
31. Leffler, A., Linte, R., Nau, C., Reeh, P., **Babes, A.** (2007), "A high-threshold heat-activated channel in cultured rat dorsal root ganglion neurons resembles TRPV2 and is blocked by gadolinium", *European Journal of Neuroscience*, **26**:12-22. **IF**: 3.81
32. Linte, R.M., Ciobanu, C., Reid, G., **Babes, A.** (2007), "Desensitization of cold- and menthol-sensitive rat dorsal root ganglion neurones by inflammatory mediators", *Experimental Brain Research*, **178(1)**: 89-98. **IF**: 2.04
33. **Babes, A.**, Zorzon, D., Reid, G. (2006), "A novel type of cold-sensitive neurone in rat dorsal root ganglia with rapid adaptation to cooling stimuli", *European Journal of Neuroscience*, **24(3)**: 691-698. **IF**: 3.81
34. **Babes, A.**, Zorzon, D., Reid, G. (2004), "Two populations of cold sensitive neurones in rat dorsal root ganglia and their modulation by nerve growth factor", *European Journal of Neuroscience*, **20**: 2276-2282. **IF**: 3.81
35. Reid, G., **Babes, A.**, Pluteanu, F. (2002), "A cold- and menthol-activated current in rat dorsal root ganglion neurones: properties and role in cold transduction", *Journal of Physiology*, **545 (2)**: 595-614. **IF**: 5.04
36. Marden, M.C., Cabanes, M., **Babes, A.**, Kiger, L., Griffon, N., Poyart, C., Boyiri, T., Safo, M.K., Abraham, D.J. (2002) "Control of the allosteric equilibrium of hemoglobin by crosslinking agents", *Protein Science*, **11**: 1376-1383. **IF**: 2.85
37. **Babes, A.**, Amuzescu, B., Krause, U., Scholz, A., Flonta, M.-L., Reid, G., (2002), "Cooling inhibits capsaicin-induced currents in cultured rat dorsal root ganglion neurones", *Neuroscience Letters*, **317(3)**: 131-134. **IF**: 2.03
38. **Babes, A.**, Lorinczi, E., Ristoiu, V., Flonta, M.-L., Reid G., (2001), "Slowing of inactivation at positive potentials in a rat axonal K^+ channel is not due to preferential closed-state inactivation", *Physiological Research*, **50**: 557-565. **IF**: 1.29
39. **Babes, A.**, Fendler K., (2000), "Na⁺ transport and the E₁P-E₂P conformational transition of the Na⁺/K⁺-ATPase", *Biophysical Journal*, **79**: 2557-2571. **IF**: 3.97
40. Ganea, C., **Babes, A.**, Lupfert, C., Grell, E., Fendler, K., Clarke, R.J., (1999), "Hofmeister effects of anions on the kinetics of partial reactions of the Na⁺,K⁺-ATPase", *Biophysical Journal*, **77**: 267-281. **IF**: 3.97