

## Lucrări științifice

Semnate atât cu numele de Flonta, cât și cu numele anterioare Călugăreanu și Nestorescu

### Lucrări publicate în reviste cotate ISI

- TRANDABURU T, CALUGAREANU M L  
Light and Electron Microscopic Investigation of the Endocrine Pancreas of the Grass-Snake (Natrix n.natrix).  
*Zeitschrift fur Zellforschung*, 9,212-225,1969 IF = 1.95
- TRANDABURU T, CALUGAREANU M L, MATEI-VLADESCU C  
Effets de l'adrenaline sur les ilots de Langerhans et sur la glycemie de la grenouille (Rana ridibunda).  
*Acta Anatomica*,76,564-578,1970. IF = 0.902 ( pt.1999)
- CALUGAREANU M L  
Effect of CoCl<sub>2</sub> on the cells of the endocrine pancreas in the snake (Natrix n.natrix).  
*Hormone and Metabolic Research*, 2,94-101,1970. IF = 1.465 (pt.1999)
- CALUGAREANU M L  
The Behaviour of the Endocrine Cells in Snake Pancreas (Natrix n.natrix). The effect of glucose.  
*Biologisches Zentralblatt*, 90,85-96,1971. IF = 0.54
- NESTORESCU,M.L.,SIESS,E.,WIELAND,O.  
Ultrastructural Localization of Pyruvate Dehydrogenase in Rat Heart Muscle.  
*Histochemie*, 34,355-360,1973. IF = 1.62
- SIESS,E., NESTORESCU,M.L., WIELAND,O.  
Localisation of Insulin on Fat Cell Ghosts by Ferritin labeled Insulin Antibodies.  
*Diabetologia*,10,439-447,1974. IF = 5.177 (pt. 1999)
- MARGINEANU,D.G.,FLONTA,M.L.  
Immersion weighing method for recoding the flows through macroscopic membranes.  
*Journal of Biochemical and Biophysical Methods*,3,129-133, 1980 IF = 1.46
- MARGINEANU,D.G.,FLONTA,M.L.  
Effects of cross-linking reagents on water and ionic fluxes through epithelia.  
*Studia Biophysica*, 84, 49-50, 1981. IF = 0.32

- FLONTA, M.L., RUCAREANU, C., VAIS, H., MARGINEANU, D.G.  
The Effect of Glutaraldehyde on the Active Transport of Sodium through the frog skin. A kinetic study.  
*Rev. Roum. Biochim.*, 20, 137-141, 1983. IF = 0.18
- MARGINEANU, D.G., RUCAREANU, C., FLONTA, M.L., FINICHIU, D.  
Glutaraldehyde inhibits the active transport of sodium and the oxygen consumption, while increasing the water diffusional permeability in frog skin.  
*Arch. Int. Physiol. Biochim.*, 92, 305-312, 1984. IF = 1.03
- FLONTA, M.L., VAIS, H., FRANGOPOL, P.T., MARGINEANU, D.G.  
Procaine effects on the sodium transport in frog skin.  
*Arch. Int. Physiol. Biochim.*, 93, 223-229, 1985. IF = 0.97
- FLONTA, M.L., GALTER, D., FRANGOPOL, P.T., MARGINEANU, D.G.  
Procaine has opposite effects on passive Na and K permeabilities in frog skin.  
*Pflüger's Archiv - European Journal of Physiology*, 408, 215-219, 1987 IF = 2.352 (pt. 1999)
- FLONTA, M.L., MARGINEANU, D.G.  
Procaine effects on the active and passive transport of ions through isolated epithelia.  
*Rev. Roum. Biochim.*, 24, 161-168, 1987. IF = 0.09
- FLONTA, M.L., ENDSTRASSER, W., KIRMEYER, I., NAGEL, W.  
Procaine effects on sodium and chloride transport in frog skin.  
*Pflüger's Archiv - European Journal of Physiology*, 411, 386-393, 1988. IF = 2.352 (pt. 1999)
- FLONTA, M.L., NISTOR, M., MARGINEANU, D.G.  
Procaine stimulation of the Na current through the apical membrane of frog skin.  
*Rev. Roum. Biochim.*, 25, 221-226, 1988. IF = 0.12
- CONSTANTINESCU, A., FLONTA, M.L., FRANGOPOL, P.T. MARGINEANU, D.G.  
The effects of tertiary amines on the state and transport properties of biomembranes.  
*Molecular Aspects of Medicine*, 10, 291-298, 1988. IF = 1.61
- FLONTA, M.L., NISTOR, M., FOTIN, C., FRANGOPOL, P.T.  
Procaine effects on the ionic transepithelial transport  
*Rev. Roum. Biochim.*, 26, 289-293, 1989. IF = 0.18
- FLONTA, M.L., NISTOR, M., FRANGOPOL, P.T.  
Evaluation of the stimulatory capacity of procaine on Na transport through frog skin.  
*Arch. Int. Physiol. Biochim. Biophys.*, 99, 335-337, 1991. IF = 0.59

- FLONTA, M.L., BOURITIUS, H., GROOT, J.A.  
Procaine inhibits the basolateral K conductance in HT29 cl.19A cells.  
*Zeitschrift fur Gastroenterologie*, XXXI, p.566, 1993 IF = 0.857 (pt.1999)
- CUCU, D., MIHAILESCU, D., MIHAILESCU, G., NIKOLELIS, D.P.,  
FLONTA, M.L., FRANGOPOL, P.T.  
Fourier analysis of potential oscillations of a liquid membrane for the discrimination of taste substances  
*Biophysical Chemistry*, 63, 47-54, 1996 IF = 2.29
- MOVILEANU, L., FLONTA, M.L., MIHAILESCU, D., FRANGOPOL, P.T.  
Characteristics of ionic transport processes through fish intestinal epithelial cells.  
*BioSystems*, 45, 123-140, 1998 IF = 0.76
- MOVILEANU, L., POPESCU, D., FLONTA, M.L.  
The hydrophobic acyl-chain effect in the lipid domains appearance through phospholipid bilayers.  
*J.Mol.Struct. (THEOCHEM)* 434, 213-227, 1998 IF = 0.81
- FLONTA, M.L., DE BEIR-SIMAEELS, J., MESOTTEN, D., VAN DRIESSCHE, W.  
Cu<sup>2+</sup> reveals different binding sites of amiloride and CDPC on the apical Na channel of frog skin.  
*Biochim.Biophys.Acta*, 1370, 169-174, 1998 IF = 2.48
- GATIN, E, ALEXANDREANU, D, BERLIC, C, FLONTA, ML  
Comparative Survey for Microporous Polymer Material Used for Contact Lenses.  
*Physica Medica*, vol.XV, 3, 143-147, 1999, <http://www.iroe.fi.cnr.it/physmed/volxv3.htm>  
IF = 0.266
- MOVILEANU, L, NEAGOE, I, FLONTA, M.L.  
Interaction of the antioxidant flavonoid quercetin with planar lipid bilayers.  
*Int.J.Pharmaceutics*, 205, 135-146, 2000 IF = 1.024
- POPESCU, D, MOVILEANU, L, ION, S, FLONTA, M.L.  
Hydrodynamic effects on the solute transport across endothelial pores and hepatocytes membranes.  
*Phys.Med.Biol.*, 45 (11), 157-165, 2000 IF = 2.013
- REID, G, FLONTA, M.L.  
Cold transduction by inhibition of a background potassium conductance in rat primary sensory neurons.  
*Neuroscience Lett*, 297, 171-174, 2001 IF = 2.021

- REID, G., AMUZESCU, B., ZECH, E. AND FLONTA, M.-L.  
A system for applying rapid warming or cooling stimuli to cells during patch clamp recording or ion imaging.  
*J. Neurosci. Methods* 111(1):1-8, 2001. IF = 1.659
- REID, G., FLONTA, M.-L.  
Cold current in thermoreceptive neurons.  
*Nature* 413(6855):480. 2001 IF = 27.955
- BABES, A., LÖRINCZI, E., RISTOIU, V., FLONTA, M.-L. & REID, G.  
Slowed inactivation at positive potentials in a rat axonal K<sup>+</sup> channel is not due to preferential closed-state inactivation.  
*Physiological Research*, 50, 557-565, 2001 IF = 1.027
- REID, G., FLONTA, M.-L.  
Ion channels activated by cold and menthol in cultured rat dorsal root ganglion neurons.  
*Neurosci. Lett.* 324, 164-168, 2002 IF = 2.021
- PENA, F., NEAGA, E., AMUZESCU, B., NITU, A., FLONTA, M.-L.  
Amitriptyline has a dual effect on the conductive properties of the epithelial Na channel.  
*J. Pharmacy Pharmacol*, 54, 10, 1393-1398, 2002 IF = 1.202
- AMUZESCU, B., SEGAL, A., FLONTA, M.L., SIMMAELS, J., VAN DRIESSCHE, W.  
Zinc is a voltage-dependent blocker of native and heterologously expressed epithelial Na channels.  
*Eur. J. Physiol., (Pflüger's Archiv)* 446, 69-77, 2003 IF = 2.063
- AVRAM, S., SVAB, I., BOLOGA, C., FLONTA, M.L.  
Correlation between the predicted and the observed biological activity of the symmetric and nonsymmetric cyclic urea derivatives used as HIV-1 protease inhibitors. A 3D-QUSAR-CoMFA method for new antiviral drug design.  
*J. Cell. Mol. Med.*, 7, 287-296, 2003 IF = 1.694
- NEAGOE I, MACRI B, FLONTA ML  
Hyperici herba extract interaction with artificial lipid bilayers.  
*J. Pharm. Pharmacol*, 56, 1-7, 2004 IF = 1.348
- SVAB I, ALEXANDRU D, VITOS G, FLONTA ML  
Binding affinities for sulfonamide inhibitors with matrix metalloproteinase-2 using a linear response method.  
*J. Cell. Mol. Med.* 8, 4, 551-562, 2004 IF = 2.153

- AVRAM S , BOLOGA C , FLONTA ML  
Quantitative structure-activity relationship by CoMFA for cyclic urea and nonpeptide-cyclic cyanoguanidine derivatives on wild type and mutant HIV-1 protease

*J. Mol. Model*, 11: 105–115, 2005 IF = 1.416
- GEORGESCU A, PLUTEANU F, FLONTA ML, BADILA E, DOROBANTU M, POPOV D  
The cellular mechanism involved in the vasodilatator effect of nebivolol on the renal artery.

*Eur.J.Pharmacol*, 508, 159-166, 2005 IF = 0.883
- NEAGA E, AMUZESCU B, DINU C, MACRI B, PENA F, FLONTA ML  
Extracellular trypsin increases ASIC1a selectivity for monovalent versus divalent cations.

*J. Neurosci. Methods*, 144, 241-248, 2005 IF = 0.676
- AVRAM S, MILAC AL, FLONTA ML, Computer-Aided Drug Design for Typical and Atypical Antipsychotic Drugs: A Review of Application of QSAR and Combinatorial Chemistry Methods -Tools for New Antipsychotics Design

*Current Computer-Aided Drug Design*, 2005, 1, 347-364 , 2005
- FLORENTINA PENA, BOGDAN AMUZESCU, EMIL NEAGA, MARIA-LUIZA FLONTA  
Thermodynamic properties of hyperpolarization-activated current ( I<sub>h</sub>) in a subgroup of primary sensory neurons.

*Exp.Brain.Res.*, 173(2):282-90 , 2006 IF = 0.582
- GEORGESCU A, PLUTEANU F, FLONTA ML, BADILA E, DOROBANTU M, POPOV D  
Nebivolol Induces a Hyperpolarization Effect on Smooth Muscle Cells in the Mouse Renal Artery by Activation of Beta-2-Adrenoceptors.

*Pharmacology*, 81: 110-117, 2008 IF =0.626
- MARIN,A, PRICA,C , AMUZESCU,B, NEAGA,E, FLONTA,ML  
ASIC1a activation by amitriptyline and FMRF-amide is removed by serine proteases

*Channels (Austin)*. 2008 Nov-Dec;2(6):419-28. Epub 2008 Nov 2 IF=0.452
- BICH-HOAI TT, MARIN A, DINU C, BANCUIU D, FLONTA ML, RISTOIU V  
Hypoxia and high-glucose activate tetrodotoxin-resistant Na<sup>+</sup> currents through PKA and PKC

*Acta Neurobiologiae Experimentalis*, 70.4.351-361,2010 IF = 0.345
- RISTOIU V, SHIBASAKI K, UCHIDA K, ZHOU YM, TON BTH, FLONTA ML, TOMINAGA M  
Hypoxia-induced sensitization of transient receptor potential vanilloid 1 involves activation of hypoxia-inducible factor-1 alpha and PKC

*Pain*,152,4,936-945,2011 IF = 5.371

- Radu BM, Iancu AD, Dumitrescu DI, Flonta ML, Radu M.,  
TRPV1 Properties in Thoracic Dorsal Root Ganglia Neurons are Modulated by Intraperitoneal Capsaicin Administration in the Late Phase of Type-1 Autoimmune Diabetes,  
*Cell Mol Neurobiol.* 2012 Oct 31. DOI 10.1007/s10571-012-9883-6  
FI= 1,969
- Amuzescu B, Georgescu A, Nistor G, Popescu M, Svab I, Flonta ML, Corlan AD.  
Stability and sustained oscillations in a ventricular cardiomyocyte model  
*Interdiscip Sci.* 2012 Mar;4(1):1-18. Epub 2012 Mar  
Indicator SJR = 0,26
- Alexandru Babes, Michael J.M.Fischer, Milos Filipovic, Matthias A.Engel, Maria-Luiza Flonta, Peter W.Reeh , The anti-diabetic drug glibenclamide is an agonist of the transient receptor potential Ankyrin1 (TRPA1) ion channel. *European Journal of Pharmacology* , [Eur J Pharmacol.](#) 2013 Mar 15;704(1-3):15-22. doi: 10.1016/j.ejphar.2013.02.018. Epub 2013 Feb 24.
- Ton BH, Chen Q, Gaina G, Tucureanu C, Georgescu A, Strungaru C, Flonta ML, Sah D, Ristoiu V. Activation profile of dorsal root ganglia Iba-1 (+) macrophages varies with the type of lesion in rats. [Acta Histochem.](#) 2013 May 20. pii: S0065-1281(13)00079-2. doi: 10.1016/j.acthis.2013.04.007. [Epub ahead of print]
- Radu BM, Bramanti P, Osculati F, Flonta ML, Radu M, Bertini G, Fabene PF. Neurovascular unit in chronic pain. *Mediators Inflamm.* 2013;2013:648268. doi: 10.1155/2013/648268. Epub 2013 Jun 5. PMID:23840097
- TEMELIE M, MUSTACIOSU C, FLONTA ML, SAVU D  
Cellular differentiation exacerbates radiation sensitivity in vitro in a human dopaminergic neuronal model,  
*Rom.Reports Physics*, acceptat 2016, <http://www.ifin/IP/A170.pdf>

### Lucrări publicate în reviste necotate ISI

- PORA, E.A., GHIRCOIASU, M., CALUGAREANU, M.L.  
Influence de la decortication cerebrale sur les relations metaboliques hepatotegumentaires chez les rats blancs.  
*Studia Universitatis Babes-Bolyai, Ser.Biol., 2,87-90, 1966*
- PORA, E.A., GHIRCOIASU, M., CALUGAREANU, M.L.  
Modificari metabolice tardive cauzate de decorticare la sobolani  
*Studia Universitatis Babes-Bolyai, Ser.Biol., 2,107-112, 1967*

- NISTOR,M.,FLONTA,M.L.  
Randamentul fosforilării oxidative in mitocondriile muschiului neted intestinal de iepure.  
*St.Cerc.Biologie Animala*, 28,31-35,1976.
- GANCEVICI,G.,GHITESCU,L.,FLONTA,M.L.,PATRU,I.  
Light scattering assay of haemolytic antibody (A rapid and sensitive non-flow procedure for quantitation of complement fixing activity).  
*Arch.Roum.Path.Exp.Microbiol.*,33,335-362,1976.
- CALUGAREANU,M.L.  
Osmoticity dependence of the acid-induced changes in the mitochondrial ultrastructure.  
*Rev.Roum.Biol.Anim.*,22,33-37,1977.
- STRUNGARU,G., NISTOR,M., POPOVICI,E., FLONTA,M.L.  
Recherches sur le metabolisme energetique de la glande sericigene posterieure chez Bombyx mori, en fonction du degre de maturite des feuilles de murier.  
*Trav.Mus.Hist.Nat.Gr.Antipa*,XXII,143-147,1980
- STRUNGARU,G., NISTOR,M., FLONTA,M.L., POPOVICI,E.  
Recherches sur le metabolisme energetique de la glande sericigene posterieure chez Bombyx mori, en fonction de la dose d'engrais appliquee aux muriers..  
*Trav.Mus.Hist.Nat.Gr.Antipa*,XXII,149-154,1980
- STRUNGARU,G., NISTOR,M., FLONTA,M.L., POPOVICI,E.  
Recherches sur le metabolisme energetique de la glande sericigene posterieure chez differents hybrides et chez leurs races parentales du Bombyx mori.  
*Trav.Mus.Hist.Nat.Gr.Antipa*,XXII,155-161,1980
- FLONTA,M.L.,MARGINEANU,D.G.  
Efectul glutaraldehidei asupra permeabilitatilor osmotice si difuzionale ale vezicii urinare de broasca.  
*St.Cerc.Biochim.*,23,141-145,1980.
- MARGINEANU,D.G.,FLONTA,M.L.  
Biopotentialele celulare si tisulare ca parametri experimentali ai actiunii membranotrope a agentilor chimici si a medicamentelor.  
*Bul.CIMCC Min.Ind.Chim.*,13-19, 1982
- FLONTA,M.L., MARINESCU,F., FRANGOPOL,P.T.  
Ultrastructural changes induced by Aslavital treatment in experimentally produced by atherosclerosis in rabbit.  
*Analele Univ.Buc.*, XXXIII, 23-28, 1984

- FLONTA,M.L.,M.L.,TOMA,V.  
Ultrastructure and O<sub>2</sub>-uptake of the posterior silk gland cells during the fifth larval instar of the silkworm *Bombyx mori*.  
*Analele Univ.Buc.*,XXXIV,23-32,1985.
- FLONTA,M.L.,NISTOR,M., FOTIN,C.  
Evaluation of the stimulatory capacity of procaine, Gerovital H<sub>3</sub> and Aslavital on the Na transport through frog skin.  
*Analele Univ.Buc.*, XXXVII, 18-22, 1988
- FLONTA,M.L.,FOTIN,C.,FRANGOPOL,P.T.  
Differences in procaine effects on Na and Cl transport.  
*Seminars in Biophysics*, 6,91-99,1990.
- FLONTA,M.L.,NISTOR,M.,KULIN,S.  
Temperature dependence of the procaine effect on sodium permeability in the frog skin.  
*Rev.Roum.Biochim.*,28,57-59,1991 (Revista a fost indexata ISI pana in 1990)
- MOVILEANU,L.,FLONTA,M.L.  
Studiul informational asupra corelatiei structura primara-structura terciara a proteinelor.  
*St.Cerc.Fiz.*,43,619-625,1991
- MOVILEANU,L., SERBAN,G., MIHAILESCU,D., FRANGOPOL,P.T., FLONTA,M.L.  
An investigation on the topology of chaos in a multiply regulated biochemical system.  
*Rom.J.Biophys.*,2,77-83,1992
- FLONTA,M.L., CRULL,A.M., FRANGOPOL,P.T  
The action of Cu on the frog epithelium.  
*Roum.J.Physiol.* , 29,87-89,1992
- MOVILEANU,L.,FLONTA,M.L.  
Low dimensional chaotic states in biochemical systems.  
*Rev.Roum.Biochim.*,29 ,207-214,1992
- MOVILEANU,L.,FLONTA,M.L.  
The analysis of oscillatory biological systems in two-variable models.  
*Anal.Univ.Buc.fiz.*XL-XLI,81-88,1992



- FLONTA,M.L.,RISTOIU V.  
Procaine increases water permeability in frog intestine  
*Rom.J.Biophys.*4,4,p.199,1994
- ARDELEAN,I.,TONE,S.,FLONTA,M.L.  
Studies on respiratory and photosynthetic electron transfer in whole cells of *Synechocystis PCC 6803*.  
*Microbiol.Indust.Biotechnol.*, 8, 342-346, 1994
- FLONTA,M.L., CRISAN,I., MOVILEANU,L.,DRAGOMIR,M.  
Biphasic effect of propolis on the frog skin epithelium. A 3-D approach.  
*Rom.J.Biophysics*, 6,115-126, 1996
- NEAGOE,I.,RISTOIU,V.,FLONTA,M.L.  
Characteristics of Quercetin Insertion in Planar Lipid Bilayers  
*Rom.J. Biophys.*,9,1-2,33-38, 1999
- GATIN,E., D.ALEXANDREANU, M.L.FLONTA  
Comparative survey for cellulose base material , cuprophan and polysulphona material.  
*Rom.J. Biophys*, 9,4, .. 1999
- RISTOIU,V., FLONTA,M.L.  
Interactions between neurotransmitters and receptors.  
*Rom.J. Biophys.*,9,3-4,111-127, 1999
- POPESCU,D, FLONTA,M.L.  
Attraction energy through Van der Waals dispersion forces between two coplanar, unparallelled and hydrophobic chains.  
*Rom.J. Biophys.*, 2, ...2000
- AVRAM,S, BOLOGA,C, BANDA,M, FLONTA,ML  
A quantitative structure-activity relationship study used to predict the biological activity of the HIV-1 protease cyclic urea inhibitors.  
*Rom. J.Biophys.*, 11, 1-2, 11-24, 2001
- POPESCU,D, STELIAN,I, POPESCU, AG, NEACȘU,N, FLONTA,ML  
The effect of lipid bilayer hydration on transbilayer pores appearance.  
*Rom. J. Biophys.* 16(1);39-56, 2006

- NEACSU,N, FLONTA,ML  
Classification of dorsal root ganglion neurons from newborn rat in organotypic cultures.  
*Rom. J. Biophys.* 16(2),77-91, 2006
- POPESCU,D, ZAHARIA,CN, ION,S, FLONTA,ML  
Compensation of neurotransmitter deficiency in the synaptic cleft.  
*Rom. J. Biophys.* 16(3);189-204, 2006
- AVRAM,S, MILAC,A, MIHAILESCU,D, DABU,A, FLONTA, ML  
Computer-aided Drug Design Applied to Beta and Gamma Secretase Inhibitors –  
Perspectives for New Alzheimer Disease Therapy  
*Current Enzyme Inhibition*, 2, 311-328, 2006
- MACRI B, TD JACQUIN, ML FLONTA  
Electrophysiological properties of dorsal raphe nucleus neurons in 5-HTT<sup>+/+</sup> and 5-HTT<sup>-/-</sup>  
mice.  
*Rom. J. Biophys.* 16(2);111-124, 2006
- ISTRATE,B, VILCIU,C, FLONTA,ML, CAMPEANU,A  
Osteoporoza cortizonica iatrogena din Miasthenia Gravis  
*Rev.Ortopedie Traumatologie*, 19,1,37-43,2009
- ISTRATE B, BANCIU DD, VILCIU C, CAMPEANU A, FLONTA ML  
Electrodiagnostic of the neuromuscular junction in Miasthenia Gravis  
*Physiology, Timisoara*, 20,1, 46-50, 2010
- AMUZESCU B, GEORGESCU A, NISTOR G, POPESCU M, SVAB I, FLONTA ML,  
CORLAN AD  
Stability and sustained oscillations in a ventricular cardiomyocyte model  
*Interdiscip Sci Comput Life Sci*, 4,1-18, 2012
- DINCA C, DEFTU A, FLONTA ML,  
Long term physiopathological changes in professional divers – a longitudinal study  
*Rom. J. Biophys.* 22(2):73–81, 2012, [http://www.rjb.ro/articles/342/RJB2-2012\\_Dincu.pdf](http://www.rjb.ro/articles/342/RJB2-2012_Dincu.pdf)
- FLONTA ML,  
George Palade a soluționat o dispută veche de 60 de ani din neurobiologie,  
*Revista Academica*, Nr. 3; martie, Anul XXIII; nr. 269, 2012  
[http://www.acad.ro/academica2002/rev2013/pag\\_acad2013\\_nr269.htm](http://www.acad.ro/academica2002/rev2013/pag_acad2013_nr269.htm)

- CAMPEANU RA, FLONTA ML,  
Optical stimulation of neuronal growth. Rom. J. Biophys. 23 (3), 159-170, 2013
- TEMELIE M, SAVU D, MOISOI N, FLONTA ML,  
Multiple cellular functions of PINK1 a key mitochondrial kinase in Parkinson's disease  
Rom. J. Biophys. 24 (3), 137-155, 2014,  
<http://www.rjb.ro/articles/401/art01Temelie2.pdf>
- FLONTA ML, STANCIU D,  
Neurobiology of free will. Rom. J. Neurology, XVI, Suppl 2, 36-46, 2017

## Rezumate

- RISTOIU, V., BABES, A., FLONTA, M.-L., REID, G.  
Slowing of inactivation of a rat axonal K<sup>+</sup> channel at positive potentials reveals differences from inactivation behaviour of cloned K<sup>+</sup> channels”  
*J. Physiol. 518.P:111P. 1999*
- GATIN E, ALEXANDREANU D, FLONTA ML  
Biocompatibilitatea membranelor de hemodializa: studiu comparativ pentru material bazat pe celuloza si material polisulfona.  
*Sesiunea stiintifica anuala a Facultatii de Fizica, Universitatea Bucuresti, 1999*
- REID, G., FLONTA, M.-L.  
The effects of non-noxious cooling on rat primary sensory neurons.  
*J. Physiol. 527.P:8P, 2000*
- REID, G., SCHOLZ, A., FLONTA, M.-L.  
Mechanisms of peripheral thermosensitivity: the effects of non-noxious warming and cooling on cultured rat dorsal root ganglion neurones”  
*Eur. J. Neurosci. 12 (supp. 11): 435, 2000*
- BABES A., LORINCZI E., PLUTEANU, F., RISTOIU, V., FLONTA, M.-L., REID, G.  
Slowing of inactivation at positive potentials in a rat axonal K<sup>+</sup> channel is not due to preferential closed state inactivation.  
*Eur. J. Neurosci. 12 (supp. 11): 381, 2000*

- BABES, A., AMUZESCU, B., FLONTA, M.-L., REID, G.  
Temperature sensitivity of capsaicin-induced activity in VR1-like channels from rat dorsal root ganglion neurones.  
*J Physiol (Proceedings)*, S233,2001
- BABES,A., AMUZESCU, B., KRAUSE, U., SCHOLZ, A., FLONTA,M.-L., REID,G.  
Cooling inhibits capsaicin- and proton-induced currents in cultured rat dorsal root ganglion neurones.  
*J Physiol* 533.P:57P-58P. 2001
- BABES,A., AMUZESCU,B., KRAUSE, U., SCHOLZ, A., FLONTA,M.-L.,REID, G.  
Capsaicin-induced currents in cultured rat dorsal root ganglion neurones are inhibited by cooling.  
*Pflüger's Archiv* 441:R159 2001
- RISTOIU V, DINU C, FLONTA ML  
Cultured rat primary sensory neurons exposed to hypoxic/hyperglycemic conditions exhibit altered Na and TRPV1 currents  
*Pain in Europe V- 5<sup>th</sup> Congress of the European Federation of IASP Chapters (EFIC), Istanbul, 2006*
- RISTOIU V, FLONTA ML  
Short-term exposure to hypoxic/hyperglycemic conditions is associated with functional changes of TRPV1 currents  
*European J.Pain*, 11, S159,361,2007
- AMUZESCU B, SVAB I, MIHAILESCU D, MUBAVGA K, FLONTA ML  
A detailed structural model of the TRPM7 selectivity filter accounts for its permeation properties  
*51<sup>st</sup> Biophysical Society Annual Meeting, Baltimore, Maryland, 3-7 march, 2007,PosL2*
- PRICA C, MARIN A, AMUZESCU B, NEAGA E, FLONTA ML  
Dual effects of Amytryptiline on ASIC1a channels  
*51<sup>st</sup> Biophysical Society Annual Meeting, Baltimore, Maryland, 3-7 march, 2007,PosL142*
- AMUZESCU B, BARBU IC, PASCU N, FLONTA ML  
Electrophysiology and mathematical modeling of ventricular cardiomyocytes,  
*Al IV-lea Simpozion al Societatii Nationale de Neurostiinte "Transdisciplinaritate in Neurostiinte", Bucuresti 30-31 mai 2008, abstract p. 11*

- PASCU N, AMUZESCU B, FLONTA ML  
Electrofiziologia neuronilor senzitivi primari din sectiuni organotipice de sobolan nou nascut in conditii acute si in cultura,  
*Al IV-lea Simpozion al Societatii Nationale de Neurostiinte, Bucuresti 30-31 mai 2008, abstract p. 27*
- AMUZESCU B, BARBU IC, PASCU N, SELESCU T, FLONTA ML  
A unified reduced multicompartment electrophysiology model of cardiomyocytes from different territories,  
*Faculty of Physics 2009 Annual Scientific Conference, Bucuresti 5 iunie 2009, abstract p. 95-96*
- AMUZESCU B, BARBU IC, PASCU N, SELESCU T, FLONTA ML  
Unified computational model of cardiomyocytes from various territories,  
*10th National Conference of Biophysics, Cluj 1-3 oct. 2009, abstract p. 27*
- AMUZESCU B, MARIN A, PRICA C, NEAGA E, FLONTA ML  
ASIC1a activation by amitriptyline and FMRF-amide is removed by serine proteases.  
*FENS Forum 2008, Géneve, July 12-16, 2008, abstract p. 73*
- ISTRATE B, VALCIU C, ION V, CAMPEANU A, VRABIE C, WALLER M, FLONTA ML  
Some advantages and incidents of plasmapheresis as short-term treatment for Miasthenia Gravis  
*Al 5-lea Simpozion national de patologie, Bucuresti, 4-6 nov, 2008*
- POPESCU MN, NISTOR G, GEORGESCU A, CORLAN AD, AMUZESCU BP, BARBU CI, FLONTA ML  
Stability and Oscillations in a Ventricular Cardiomyocyte Model Studied using the Tools of Dynamic Systems Analysis and Bifurcation Theory.  
*53rd Biophysical Society Meeting, Boston, Mass., 28 Feb-4 March, 2009*
- ANDREEA-ROXANA LUPU, LIDIA CREMER, F KERK, ANA CALUGARU NATALIA-SIMONA BARZU, C COMAN, MARIA-LUIZA FLONTA, G SZEGLI  
The role of natural compound D161 in neurogenic inflammation  
*European Journal of Pain, Vol 13, Suppl 1, Sept 2009*
- ISTRATE B, VILCIU C, MARIN A, FLONTA ML, CAMPEANU A  
ASIC channels and neuroimmunological consequences related to cerebral ischemia and thrombosis  
*7th Congress of the Romanian Society of Neurology, Sinaia, 13-16 May, 2009*

- ISTRATE B, VILCIU C, FLONTA ML  
The predictive value of electromyography as electrodiagnostic test in Myasthenia Gravis  
*Al 6-lea Simpozion National de Patologie, Bucuresti, 3-5 nov, 2009*
- ISTRATE B, POSTOLACHE E, DOBREANU M, FLONTA ML  
Immunoserological monitoring and its clinical significance related to Miasthenia Gravis  
*Al 6-lea Simpozion National de Patologie, Bucuresti, 3-5 nov, 2009*
- LUPU,AR, CREMER,L, KEREK,F,CALUGARU,A, BADULESCU,MM, FLONTA, ML, SZEGLI,G  
New natural compound MCS-18, a TLR-2 antagonist able to down-regulate inflammation-related pain  
*European Journal of Pain, Vol 13, Suppl 1, Sept 2009*
- LUPU,AR, CREMER,L, SZEGLI,G, CALUGARU,A, BADULESCU,MM, BARZU,NS, FLONTA,ML, KEREK ,F  
Novel antirheumatic drug “MCS-18” involved in TLR signaling  
*European Journal of Immunology, Suppl. 1/2009*
- FLONTA ML, RISTOIU V  
Identification of critical determinants which potentiate TRPV1 activity under diabetic conditions  
*5-th “Gheorghe Marinescu” Symposium of the National Neuroscience Society of Romania, Bucharest, 1-3 oct, 2009*

## Expuneri la conferințe

- Ce putem aștepta în neuroștiințe de la cercetările de tip analitic? Societatea Română de Științe Fiziologice, București, 25 martie, 1999
- Neuroștiințele, o posibilă punte între științele naturii și cele umaniste. Colocviul: Locul și rolul științei și culturii în integrarea europeană, Clubul Humboldt, România, 29 sept, 2000
- Dual effect of amitryptiline on the epithelial Na channel. BIL 96 Symposium, KU Leuven, 2000.
- Evaluation of the stimulatory capacity of procaine on epithelial Na transport. BIL 2000 Symposium, Darmstadt, 2001
- Mecanisme de transducție în termosensibilitate, Societatea Română de Științe Fiziologice, Bucuresti, 29 nov, 2001
- Molecular mechanisms which underlie pain perception, International Symposium on Psychosomatic Medecine of the Alexander von Humboldt Foundation, Cluj, 2003

- Molecular mechanisms in visceral pain perception. International Symposium of Neurogastroenterology of the Alexander von Humboldt Foundation, Brasov, 2005
- Molecular mechanisms of pain perception, Neuroscience 2005, International Symposium Timisoara-München, 14 oct 2005
- Ion channels and beyond:molecular mechanisms of pain perception, International Conference in Biosensing and Biodynamics, ICCB, 21 mai 2006
- Molecular mechanisms underlying nociception, 2<sup>nd</sup> International conference of the National Neuroscience Society of Romania: “Neuronal excitability”, 2 sept 2006
- Molecule implicate în generarea, menținerea și tratamentul durerii, Curs postuniversitar: “De la biologia celulară și moleculară la medicina sec.XXI”, IBPC “N.Simionescu”, 19 oct 2006
- TRP channels - biosensors for temperature, IXth National Conference of Biophysics, May 11-14, 2007 , Bucharest
- Activitatea cooperantă a canalelor TRP în neuronii nociceptivi, Simpozionul „Gheorghe Marinescu” al Societății Naționale de Neuroștiințe, Biblioteca Academiei Române, București, 2–3 iunie 2007
- Conștiința – un fenomen care poate fi abordat de neurobiologi, Simpozionul „Gheorghe Marinescu” al Societății Naționale de Neuroștiințe, Biblioteca Academiei Române, București, 30-31 mai 2008. La acest simpozion mi s-a conferit Premiul I”Gheorghe Marinescu”, pentru rezultate de cercetare deosebite în neuroștiințe.
- Transformarea durerii de la un mecanism adaptativ spre o situatie patologică. Conferința Diaspora în Cercetarea Stiințifică Românească, Workshopul: Neuroștiințe si transdisciplinaritate, 17-19 sept 2008
- Durerea – un fenomen adaptativ care poate deveni patologic, Curs postuniversitar: “De la biologia celulară si moleculară la medicina sec.XXI”, IBPC “N.Simionescu”, 27 oct 2008
- Identification of critical determinants which potentiate TRPV1 activity under diabetic conditions. Dept.of Physiology, University of Hamburg, Eppendorfer Hospital, 2009
- Abordare neurobiologică a fenomenului – conștiință. Seminarul: Ingineria Minții, Universitatea Politehnică București, 29 ian 2009
- Natura conștiinței vazută de biologi și filozofi. Seminarul CELFIS, Universitatea Bucuresti, 24 martie 2010
- Neurosciences – a bridge between humanities and sciences. Humboldt-Kolleg: Knowledge, Culture, Science – the fundament of quality of life in society, Timișoara, 23-28.11.2010
- George Palade a soluționat o dispută veche de 60 de ani din neurobiologie, Sesiune omagiala dedicate Centenarului Prof. George Emil Palade, 23 nov, 2012, [http://www.acad.ro/com2012/pag\\_com12\\_1123Palade.htm](http://www.acad.ro/com2012/pag_com12_1123Palade.htm)
- De ce nu vedem cu toții aceeași realitate? – Săptămâna Conștientizării Creierului, 14-23 martie, 2016, Facultatea de Psihologie a Universității București
- ICUB – Ce este realitatea pentru ființele vii ? – Seminarul Consciousness and Cognition: An Interdisciplinary Approach, 10 mai, 2016